



NOTE GENERALE: Suduri in relief cu grosimea de cordon de 0.7" daca nu se specifica altfel.
Nivel B de acceptare a sudurilor. Sudura pe toata suprafata de contact.

EXTRAS DE LAMINATE PT. ANSAMBLUL:						
Pozitie	Profil	Material	No.	Lungime	Arie	Greutate
SV/2	CFRHS120X120X5	S235JR	1	3692	1.7	64.8
1002	PL6*120	S235JR	1	221	0.1	1.2
b/1	L100*6	S235JR	1	110	0.0	1.0
tg/1005	PL7*250	S235JR	1	320	0.2	4.4
tg/1006	PL5*202	S235JR	1	312	0.1	1.4
tg/1008	PL5*202	S235JR	1	310	0.1	1.4
				Total	2.1	74.3

Denumire proiect: **MINISTERUL AFACERILOR INTERNE**
 Beneficiar: **MINISTERUL AFACERILOR INTERNE**
 Adresa: **Județul Covasna, mun. Mîrgălaș, cartierul Săpălaș, strada Gheorghe Ștefan nr. 7-9, M.C.I.**
 Sef proiect: **Ing. Burciu Stefan**
 Desenat: **Ing. Ardelean Adrian**
 Denumire planșă: **ANSAMBLUL**
 [St.5] Arducare Restau

Scara: 1:20 1:50
 Rev.: 0 Data: [St.5]