



NOTE GENERALE: Suduri in relief cu grosimea de cordoan de 0.7\*t, daca nu se specifica altfel. Nivel B de acceptare a sudurilor. Sudura pe toata suprafata de contact.

EXTRAS DE LAMINATE PT. ANSAMBLUL: SV/15 1 BUC. NECESARE

Pozitie	Profil	Material	No.	Lungime	Arie	Greutate
Sv9	CFRHS100X100X4	S235JR	1	2555	1.0	30.0
tg/1010	PL5*194	S235JR	2	284	0.1	1.3
tg/1024	PL7*270	S235JR	1	380	0.2	5.6
Total					1.3	38.3

**Neo**  
STRUCTURAL  
ENGINEERING

Proiectant structura:  
SC NEO STRUCTURAL  
ENGINEERING SRL  
consultanta, proiectare, expertizare  
structurii civile si industriale  
Muresul, Cetatea Veche, Nr. 4, M. 30, et. 1, sc. 78, Sec. 4, Braila

nr. proiect: 03/2025  
faza: P.T.

Beneficiar: MINISTERUL AFACERILOR INTERNE  
Adresa: Judet Constanta, mun. Mangalia, statiunea Saturn, strada Greenport nr. 2, M. 11

Sef proiect: Ing. Burciu Stefan  
Proiectat: Ing. Burciu Stefan  
Desenat: Ing. Ardelean Adrian  
Denumire plansa: Ansamblul Caldera Pompe [St.15]

Scara: 1:20 1:50  
Rev.: 0 Data: [St.15]