


GRID LOCATION	
CV/1	<l/a
CV/1	<l/b
CV/1	<l/c
CV/1	<l/e
CV/1	<l/f
CV/1	<l/g
CV/1	<l/h



NOTA: <p>Gaurile sunt cu 2mm mai mari decat diametrul buloanelor; Lungimea cordoanelor de sudura este egala cu conturul de suprapunere a pieselor. Grosimea sudurilor va fi egala 0.7tmin; dar nu mai putin de 3mm.</p>						
EXTRAS MATERIALE PTR 1 ANSAMBLU				CV/1	7	buc. necesare
Pozitia	Dimensiunea	Otel	buc.	Lungime [mm]	Aria laterala [mp]	Greutate [kg]
1007	PL10*80	S235JR	2	200	0.03	1.1
P/14	D20	S235JR	1	2080	0.13	4.6
Total					0.2	6.8

Verificator			A1 + A2			
Verificator/Expert	Nume	Semnatura	Cerinta	REFERAT / EXPERTIZA / NR. / DATA		
S.C. MOLNAR PROIECTARE CONSTRUCTII S.R.L C.U.I 51958629, J2025041955007 Tel: 0723.022.765, E-mail: ingmolnarhuba@gmail.com				Beneficiar:	ORASUL CHISINEU CRIS	
						Proiect nr.: 21 / 2025
SPECIFICATIE	NUME	SEMNATURA	SCARA 1:10	Titlu proiect: DEMOLARE CORP "C2", MODIFICARI INTERIOARE si EXTERIOARE HALA AGROALIMENTARA, EXTINDERE COPERTINE si GRUP SANITAR CHISINEU CRIS, Str. PIATA AVRAM IANCU, F.N. Jud. ARAD,		Faza: DTAC+PT+DE
SEF PROIECT:	Arh. Cloara Lucian					
Proiectat:	Ing. Molnar Huba		DATA 2025	Titlu planse: PAVILION - CONTRAVANTUIRE CV/1		Plansa nr. M.17
Desenat:	Ing. Molnar Huba					