

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
4	A13	RHS60x3	1,706					
1	p33	RHS60x3	1,386	S355JR	7.2	28.8	0.32	1.27
2	p192	PL 3x16x56	56	S355JR	0	0.2	0	0.02
2	p193	PL 3x32x56	56	S355JR	0	0.3	0	0.03
1	p202	PL 8x100x255	255	S355JR	1.6	6.3	0.06	0.22
1	p207	PL 8x100x265	265	S355JR	1.7	6.7	0.06	0.24
2	p320	M20x50	50	10.9	0.3	2.5		
1	A14	L100X10	5,830		TOTAL	44.7		1.78
1	p21	L100X10	5,830	S235J2	88	88	2.27	2.27
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p41	RHS150x100x4	5,699	S235J2	84.9	84.9	2.77	2.77
3	A15	RHS60x3	1,227		TOTAL	187.5		5.62
1	p45	RHS60x3	882	S355JR	4.6	13.7	0.2	0.61
1	p192	PL 3x16x56	56	S355JR	0	0.1	0	0.01
1	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	5.3	0.06	0.19
1	p209	PL 8x100x290	290	S355JR	1.8	5.4	0.06	0.19
1	p211	PL 3x21x56	56	S355JR	0	0.1	0	0.01
1	p212	PL 3x27x56	56	S355JR	0	0.1	0	0.01
4	p320	M20x50	50	10.9	0.3	3.7		
				TOTAL	28.5	6		1.02

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
2	A16	RHS60x3	0					
1	p44	RHS60x3	1,359	S355JR	7.1	14.1	0.31	0.63
2	p192	PL 3x16x56	56	S355JR	0	0.1	0	0.01
2	p193	PL 3x32x56	56	S355JR	0	0.2	0	0.02
1	p207	PL 8x100x265	265	S355JR	1.7	3.3	0.06	0.12
1	p215	PL 8x110x260	260	S355JR	1.7	3.5	0.06	0.12
2	p320	M20x50	50	10.9	0.3	1.2		
TOTAL						22.4		0.89
1	A16	RHS60x3	1,684					
1	p44	RHS60x3	1,359	S355JR	7.1	7.1	0.31	0.31
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
4	p320	M20x50	50	10.9	0.3	1.2		
TOTAL						11.8		0.45
2	A17	RHS60x3	1,684					
1	p43	RHS60x3	1,359	S355JR	7.1	14.1	0.31	0.63
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p207	PL 8x100x265	265	S355JR	1.7	3.3	0.06	0.12
1	p215	PL 8x110x260	260	S355JR	1.7	3.5	0.06	0.12
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0.1	0	0.01
2	p320	M20x50	50	10.9	0.3	1.2		
TOTAL						22.4		0.89

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A17	RHS60x3	0					
1	p43	RHS60x3	1,359	S355JR	7.1	7.1	0.31	0.31
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0	0	0
4	p320	M20x50	50	10.9	0.3	1.2		
					TOTAL	11.8		0.45

2	A18	RHS60x3	1,217					
1	p35	RHS60x3	902	S355JR	4.7	9.4	0.21	0.42
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	3.5	0.06	0.12
1	p211	PL 3x21x56	56	S355JR	0	0.1	0	0.01
1	p212	PL 3x27x56	56	S355JR	0	0.1	0	0.01
1	p215	PL 8x110x260	260	S355JR	1.7	3.5	0.06	0.12
4	p320	M20x50	50	10.9	0.3	2.5		
					TOTAL	19.1		0.69

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A18	RHS60x3	0					
1	p35	RHS60x3	902	S355JR	4.7	4.7	0.21	0.21
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p211	PL 3x21x56	56	S355JR	0	0	0	0
1	p212	PL 3x27x56	56	S355JR	0	0	0	0
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p320	M20x50	50	10.9	0.3	0.6		
TOTAL					8.9			0.34

1	A19	RHS60x3	0					
1	p34	RHS60x3	902	S355JR	4.7	4.7	0.21	0.21
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
4	p320	M20x50	50	10.9	0.3	1.2		
TOTAL					9.5			0.34

2	A19	RHS60x3	1,217					
1	p34	RHS60x3	902	S355JR	4.7	9.4	0.21	0.42
2	p192	PL 3x16x56	56	S355JR	0	0.1	0	0.01
2	p193	PL 3x32x56	56	S355JR	0	0.2	0	0.02
1	p204	PL 8x110x255	255	S355JR	1.8	3.5	0.06	0.12
1	p215	PL 8x110x260	260	S355JR	1.7	3.5	0.06	0.12
2	p320	M20x50	50	10.9	0.3	1.2		
TOTAL					17.8			0.69

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A20	L100X10	5,830					
1	p21	L100X10	5,830	S235J2	88	88	2.27	2.27
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p49	RHS150x100x4	5,699	S235J2	84.9	84.9	2.77	2.77
				TOTAL	187.5			5.62
3	A21	RD20	653					
2	p17	RD20	653	S355JR	1.6	9.7	0.04	0.25
2	p16	L 40x5	100	S355JR	0.3	1.8	0	0
				TOTAL	11.4			0.25
2	A22	RHS100x5	2,140					
1	p40	RHS100x5	2,130	S235J2	30.7	61.3	0.82	1.63
1	p280	PL 10x175x200	200	S355JR	2.7	5.5	0.08	0.16
				TOTAL	66.8			1.79
2	A23	RHS100x5	4,270					
1	p48	RHS100x5	4,256	S235J2	61.3	122.6	1.63	3.26
2	p236	PL 8x100x100	100	S355JR	0.6	2.5	0.02	0.09
1	p257	PL 14x225x250	250	S355JR	6.2	12.4	0.13	0.25
				TOTAL	137.4			3.6
2	A24	RHS100x50x5	2,140					
1	p7	RHS100x50x5	2,130	S235J2	22.4	44.7	0.6	1.21
1	p244	PL 10x125x200	200	S355JR	2	3.9	0.06	0.11
				TOTAL	48.7			1.32
1	A25	RHS150x100x4	4,270					
1	p42	RHS150x100x4	4,256	S235J2	63.4	63.4	2.07	2.07
1	p263	PL 14x250x300	300	S355JR	8.2	8.2	0.17	0.17
				TOTAL	71.7			2.23

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A27	RHS60x3	0					
1	p60	RHS60x3	1,344	S355JR	7	7	0.31	0.31
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0	0	0
4	p320	M20x50	50	10.9	0.3	1.2		
TOTAL						11.7		0.44

1	A27	RHS60x3	1,669					
1	p60	RHS60x3	1,344	S355JR	7	7	0.31	0.31
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0	0	0
2	p320	M20x50	50	10.9	0.3	0.6		
TOTAL						11.1		0.44

2	A28	RHS60x3	1,653					
1	p61	RHS60x3	1,333	S355JR	6.9	13.8	0.31	0.61
2	p192	PL 3x16x56	56	S355JR	0	0.1	0	0.01
2	p193	PL 3x32x56	56	S355JR	0	0.2	0	0.02
1	p202	PL 8x100x255	255	S355JR	1.6	3.2	0.06	0.11
1	p207	PL 8x100x265	265	S355JR	1.7	3.3	0.06	0.12
2	p320	M20x50	50	10.9	0.3	1.2		
TOTAL						21.8		0.87

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
2	A29	RHS60x3	1,227					
1	p62	RHS60x3	882	S355JR	4.6	9.2	0.2	0.41
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	3.5	0.06	0.12
1	p209	PL 8x100x290	290	S355JR	1.8	3.6	0.06	0.13
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0.1	0	0.01
2	p320	M20x50	50	10.9	0.3	1.2		
		TOTAL				17.7		0.68
2	A30	RHS60x3	1,712					
1	p59	RHS60x3	1,402	S355JR	7.3	14.6	0.32	0.64
2	p192	PL 3x16x56	56	S355JR	0	0.1	0	0.01
2	p193	PL 3x32x56	56	S355JR	0	0.2	0	0.02
2	p202	PL 8x100x255	255	S355JR	1.6	6.3	0.06	0.22
4	p320	M20x50	50	10.9	0.3	2.5		
		TOTAL				23.6		0.89
1	A31	L100X10	5,830					
1	p21	L100X10	5,830	S235J2	88	88	2.27	2.27
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p41	RHS150x100x4	5,699	S235J2	84.9	84.9	2.77	2.77
2	p266	PL 10x110x150	150	S355JR	1.3	2.6	0.04	0.08
2	p320	M20x50	50	10.9	0.3	0.6		
		TOTAL				190.7		5.7

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A32	L100X10	5,830					
1	p21	L100X10	5,830	S235J2	88	88	2.27	2.27
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p49	RHS150x100x4	5,699	S235J2	84.9	84.9	2.77	2.77
1	p299	PL 10x110x150	150	S355JR	1.3	1.3	0.04	0.04
2	p332	M20x45	45	10.9	0.3	0.6		
				TOTAL	189.4			5.66
1	A34	L100X10	12,000					
1	p107	L100X10	12,000	S235J2	181.2	181.2	4.68	4.68
2	p63	RHS80x40x4	581	S355JR	3.9	7.8	0.13	0.26
2	p64	RHS80x40x4	500	S355JR	3.4	6.7	0.11	0.23
1	p153	RHS80x40x4	754	S355JR	5.1	5.1	0.17	0.17
1	p154	RHS80x40x4	754	S355JR	5.1	5.1	0.17	0.17
1	p155	RHS80x40x4	673	S355JR	4.5	4.5	0.15	0.15
1	p156	RHS80x40x4	673	S355JR	4.5	4.5	0.15	0.15
14	p330	M16x70	70	10.9	0.2	3.2		
				TOTAL	218.1			5.81
1	A35	L100X10	5,605					
1	p31	L100X10	5,605	S235J2	84.6	84.6	2.19	2.19
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p134	RHS150x100x4	5,474	S235J2	81.6	81.6	2.66	2.66
				TOTAL	180.8			5.43

List produced by AUTODESK Advance Steel

Page

13

/

71

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A36	L100X10	5,605					
1	p31	L100X10	5,605	S235J2	84.6	84.6	2.19	2.19
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p133	RHS150x100x4	5,474	S235J2	81.6	81.6	2.66	2.66
1	p279	PL 10x110x150	150	S355JR	1.3	1.3	0.04	0.04
2	p321	M16x45	45	10.9	0.2	0.4		
1	p331	M16x130	130	10.9	0.3	0.3		
					<u>TOTAL</u>	182.8		5.47
1	A37	L100X10	5,605					
1	p31	L100X10	5,605	S235J2	84.6	84.6	2.19	2.19
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p135	RHS150x100x4	5,474	S235J2	81.6	81.6	2.66	2.66
					<u>TOTAL</u>	180.8		5.43
1	A38	L100X10	5,605					
1	p31	L100X10	5,605	S235J2	84.6	84.6	2.19	2.19
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p136	RHS150x100x4	5,474	S235J2	81.6	81.6	2.66	2.66
1	p279	PL 10x110x150	150	S355JR	1.3	1.3	0.04	0.04
2	p321	M16x45	45	10.9	0.2	0.4		
2	p331	M16x130	130	10.9	0.3	0.6		
					<u>TOTAL</u>	183.1		5.47

List produced by AUTODESK Advance Steel

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A39	L100X10	5,830					
1	p21	L100X10	5,830	S235J2	88	88	2.27	2.27
6	p3	RHS60x30x3.2	584	S235J2	2.4	14.6	0.1	0.58
1	p132	RHS150x100x4	5,699	S235J2	84.9	84.9	2.77	2.77
2	p266	PL 10x110x150	150	S355JR	1.3	2.6	0.04	0.08
1	p331	M16x130	130	10.9	0.3	0.3		
2	p332	M20x45	45	10.9	0.3	0.6		
				<u>TOTAL</u>	191			5.7
1	A40	RD20	653					
2	p17	RD20	653	S355JR	1.6	3.2	0.04	0.08
2	p16	L 40x5	100	S355JR	0.3	0.6	0	0
				<u>TOTAL</u>	3.8			0.08
1	A41	RHS100x5	2,140					
1	p40	RHS100x5	2,130	S235J2	30.7	30.7	0.82	0.82
1	p280	PL 10x175x200	200	S355JR	2.7	2.7	0.08	0.08
				<u>TOTAL</u>	33.4			0.89
1	A42	RHS100x5	798					
1	p127	RHS100x5	798	S235J2	11.5	11.5	0.31	0.31
2	p328	M20x45	45	10.9	0.3	0.6		
				<u>TOTAL</u>	12.1			0.31
1	A43	RHS100x5	2,465					
1	p121	RHS100x5	2,465	S235J2	35.5	35.5	0.94	0.94
1	p328	M20x45	45	10.9	0.3	0.3		
				<u>TOTAL</u>	35.8			0.94

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A44	RHS100x5	2,915					
1	p113	RHS100x5	2,915	S235J2	42	42	1.12	1.12
1	p328	M20x45	45	10.9	0.3	0.3		
					<u>TOTAL</u>	42.3		1.12
1	A45	RHS100x5	2,463					
1	p122	RHS100x5	2,463	S235J2	35.5	35.5	0.94	0.94
1	p328	M20x45	45	10.9	0.3	0.3		
					<u>TOTAL</u>	35.8		0.94
1	A46	RHS100x5	2,870					
1	p117	RHS100x5	2,870	S235J2	41.3	41.3	1.1	1.1
					<u>TOTAL</u>	41.3		1.1
1	A47	RHS100x5	3,280					
1	p110	RHS100x5	3,280	S235J2	47.2	47.2	1.26	1.26
					<u>TOTAL</u>	47.2		1.26
1	A48	RHS100x5	2,705					
1	p118	RHS100x5	2,705	S235J2	39	39	1.04	1.04
					<u>TOTAL</u>	39		1.04
1	A49	RHS100x5	2,495					
1	p120	RHS100x5	2,495	S235J2	35.9	35.9	0.96	0.96
					<u>TOTAL</u>	35.9		0.96
1	A50	RHS100x5	2,873					
1	p116	RHS100x5	2,873	S235J2	41.4	41.4	1.1	1.1
2	p328	M20x45	45	10.9	0.3	0.6		
					<u>TOTAL</u>	42		1.1

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A51	RHS100x5	3,273					
1	p111	RHS100x5	3,273	S235J2	47.1	47.1	1.25	1.25
2	p328	M20x45	45	10.9	0.3	0.6		
				TOTAL		47.7		1.25
1	A52	RHS100x5	2,607					
1	p119	RHS100x5	2,607	S235J2	37.5	37.5	1	1
2	p328	M20x45	45	10.9	0.3	0.6		
				TOTAL		38.1		1
1	A53	RHS100x5	2,407					
1	p123	RHS100x5	2,407	S235J2	34.7	34.7	0.92	0.92
2	p328	M20x45	45	10.9	0.3	0.6		
				TOTAL		35.2		0.92
1	A54	RHS100x5	4,270					
1	p108	RHS100x5	4,256	S235J2	61.3	61.3	1.63	1.63
2	p236	PL 8x100x100	100	S355JR	0.6	1.3	0.02	0.05
1	p257	PL 14x225x250	250	S355JR	6.2	6.2	0.13	0.13
				TOTAL		68.7		1.8
1	A55	RHS100x5	4,270					
1	p109	RHS100x5	4,256	S235J2	61.3	61.3	1.63	1.63
2	p236	PL 8x100x100	100	S355JR	0.6	1.3	0.02	0.05
1	p257	PL 14x225x250	250	S355JR	6.2	6.2	0.13	0.13
				TOTAL		68.7		1.8
1	A56	RHS100x5	2,940					
1	p112	RHS100x5	2,940	S235J2	42.3	42.3	1.13	1.13
1	p328	M20x45	45	10.9	0.3	0.3		
				TOTAL		42.6		1.13

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A57	RHS100x5	1,865					
1	p125	RHS100x5	1,865	S235J2	26.9	26.9	0.71	0.71
1	p328	M20x45	45	10.9	0.3	0.3		
					<u>TOTAL</u>	27.1		0.71
1	A58	RHS100x5	1,500					
1	p126	RHS100x5	1,500	S235J2	21.6	21.6	0.57	0.57
2	p328	M20x45	45	10.9	0.3	0.6		
					<u>TOTAL</u>	22.2		0.57
1	A59	RHS100x5	2,365					
1	p124	RHS100x5	2,365	S235J2	34.1	34.1	0.91	0.91
1	p328	M20x45	45	10.9	0.3	0.3		
					<u>TOTAL</u>	34.3		0.91
1	A60	RHS100x5	2,915					
1	p114	RHS100x5	2,915	S235J2	42	42	1.12	1.12
1	p328	M20x45	45	10.9	0.3	0.3		
					<u>TOTAL</u>	42.3		1.12
1	A61	RHS100x5	2,890					
1	p115	RHS100x5	2,890	S235J2	41.6	41.6	1.11	1.11
1	p328	M20x45	45	10.9	0.3	0.3		
					<u>TOTAL</u>	41.9		1.11
2	A63	RHS100x50x5	2,140					
1	p7	RHS100x50x5	2,130	S235J2	22.4	44.7	0.6	1.21
1	p244	PL 10x125x200	200	S355JR	2	3.9	0.06	0.11
					<u>TOTAL</u>	48.7		1.32

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A65	RHS100x50x5	3,890					
1	p129	RHS100x50x5	3,880	S235J2	40.7	40.7	1.1	1.1
1	p131	RHS100x50x4	240	S235J2	2.1	2.1	0.07	0.07
1	p262	PL 10x125x200	200	S355JR	2	2	0.06	0.06
				TOTAL	44.8			1.22
1	A66	RHS100x50x5	3,840					
1	p130	RHS100x50x5	3,830	S235J2	40.2	40.2	1.08	1.08
1	p128	RHS100x50x4	240	S235J2	2.1	2.1	0.07	0.07
1	p262	PL 10x125x200	200	S355JR	2	2	0.06	0.06
				TOTAL	44.2			1.21
1	A67	RHS150x100x4	4,271					
1	p42	RHS150x100x4	4,256	S235J2	63.4	63.4	2.07	2.07
1	p236	PL 8x100x100	100	S355JR	0.6	0.6	0.02	0.02
1	p263	PL 14x250x300	300	S355JR	8.2	8.2	0.17	0.17
				TOTAL	72.3			2.26
1	A68	RHS150x100x4	4,270					
1	p137	RHS150x100x4	4,256	S235J2	63.4	63.4	2.07	2.07
2	p236	PL 8x100x100	100	S355JR	0.6	1.3	0.02	0.05
1	p263	PL 14x250x300	300	S355JR	8.2	8.2	0.17	0.17
				TOTAL	72.9			2.28
1	A69	RHS150x100x5	4,785					
1	p139	RHS150x100x5	4,771	S235J2	87.3	87.3	2.3	2.3
2	p259	PL 8x110x110	110	S355JR	0.8	1.5	0.03	0.06
1	p263	PL 14x250x300	300	S355JR	8.2	8.2	0.17	0.17
2	p265	PL 8x110x110	110	S355JR	0.8	1.5	0.03	0.06
2	p331	M16x130	130	10.9	0.3	0.6		
2	p335	M16x40	40	10.9	0.2	0.4		
				TOTAL	99.6			2.58

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A70	RHS150x100x5	4,829					
1	p138	RHS150x100x5	4,815	S235J2	88.1	88.1	2.33	2.33
2	p259	PL 8x110x110	110	S355JR	0.8	1.5	0.03	0.06
1	p263	PL 14x250x300	300	S355JR	8.2	8.2	0.17	0.17
2	p265	PL 8x110x110	110	S355JR	0.8	1.5	0.03	0.06
2	p331	M16x130	130	10.9	0.3	0.6		
2	p336	M16x40	40	10.9	0.2	0.4		
TOTAL						100.4		2.6
1	A71	RHS150x100x5	4,709					
1	p140	RHS150x100x5	4,695	S235J2	85.9	85.9	2.27	2.27
2	p259	PL 8x110x110	110	S355JR	0.8	1.5	0.03	0.06
1	p263	PL 14x250x300	300	S355JR	8.2	8.2	0.17	0.17
2	p265	PL 8x110x110	110	S355JR	0.8	1.5	0.03	0.06
2	p331	M16x130	130	10.9	0.3	0.6		
1	p336	M16x40	40	10.9	0.2	0.2		
1	p338	M16x45	45	10.9	0.1	0.1		
TOTAL						98.2		2.54
1	A72	RHS50x30x3	6,006					
2	p22	RHS50x30x3	6,006	S235J2	19.8	39.6	0.9	1.8
9	p4	RHS50x30x3	1,240	S235J2	4.1	36.8	0.19	1.67
2	p13	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
4	p273	PL 6x50x100	100	S355JR	0.2	0.9	0.01	0.05
8	p334	M10x30	30	4.6	0	0.3		
TOTAL						86.3		3.91

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A73	RHS50x30x3	5,780					
2	p56	RHS50x30x3	5,780	S235J2	19.1	38.1	0.87	1.73
8	p4	RHS50x30x3	1,240	S235J2	4.1	32.7	0.19	1.49
2	p13	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
4	p273	PL 6x50x100	100	S355JR	0.2	0.9	0.01	0.05
8	p334	M10x30	30	4.6	0	0.3		
					TOTAL	80.7		3.66
2	A74	RHS50x30x3	5,775					
2	p32	RHS50x30x3	5,775	S235J2	19.1	76.2	0.87	3.46
9	p2	RHS50x30x3	1,240	S235J2	4.1	73.7	0.19	3.35
2	p6	RHS50x30x3	1,300	S235J2	4.3	17.2	0.19	0.78
4	p273	PL 6x50x100	100	S355JR	0.2	1.9	0.01	0.09
					TOTAL	168.9		7.69
1	A76	RHS50x30x3	6,368					
2	p55	RHS50x30x3	6,368	S235J2	21	42	0.96	1.91
10	p2	RHS50x30x3	1,240	S235J2	4.1	40.9	0.19	1.86
2	p6	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
6	p273	PL 6x50x100	100	S355JR	0.2	1.4	0.01	0.07
					TOTAL	92.9		4.23
1	A77	RHS50x30x3	5,359					
1	p141	RHS50x30x3	5,359	S235J2	17.7	17.7	0.8	0.8
7	p2	RHS50x30x3	1,240	S235J2	4.1	28.6	0.19	1.3
2	p6	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
1	p142	RHS50x30x3	5,359	S235J2	17.7	17.7	0.8	0.8
1	p143	RHS50x30x3	1,220	S235J2	4	4	0.18	0.18
6	p273	PL 6x50x100	100	S355JR	0.2	1.4	0.01	0.07
					TOTAL	78		3.55

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
3	A78	RHS50x30x3	6,000					
2	p23	RHS50x30x3	6,000	S235J2	19.8	118.8	0.9	5.4
9	p2	RHS50x30x3	1,240	S235J2	4.1	110.5	0.19	5.02
2	p6	RHS50x30x3	1,300	S235J2	4.3	25.7	0.19	1.17
4	p273	PL 6x50x100	100	S355JR	0.2	2.8	0.01	0.14
					TOTAL	257.8		11.73
1	A80	RHS50x30x3	6,006					
2	p22	RHS50x30x3	6,006	S235J2	19.8	39.6	0.9	1.8
9	p4	RHS50x30x3	1,240	S235J2	4.1	36.8	0.19	1.67
2	p13	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
4	p273	PL 6x50x100	100	S355JR	0.2	0.9	0.01	0.05
8	p334	M10x30	30	4.6	0	0.3		
					TOTAL	86.3		3.91
1	A81	RHS50x30x3	6,006					
2	p22	RHS50x30x3	6,006	S235J2	19.8	39.6	0.9	1.8
9	p4	RHS50x30x3	1,240	S235J2	4.1	36.8	0.19	1.67
2	p13	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
4	p273	PL 6x50x100	100	S355JR	0.2	0.9	0.01	0.05
8	p334	M10x30	30	4.6	0	0.3		
					TOTAL	86.3		3.91
1	A82	RHS50x30x3	7,175					
2	p54	RHS50x30x3	7,175	S235J2	23.7	47.4	1.08	2.15
10	p4	RHS50x30x3	1,240	S235J2	4.1	40.9	0.19	1.86
2	p13	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
6	p273	PL 6x50x100	100	S355JR	0.2	1.4	0.01	0.07
12	p334	M10x30	30	4.6	0	0.5		
					TOTAL	98.8		4.47

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A83	RHS50x30x3	3,895					
2	p57	RHS50x30x3	3,895	S235J2	12.9	25.7	0.58	1.17
6	p4	RHS50x30x3	1,240	S235J2	4.1	24.6	0.19	1.12
2	p13	RHS50x30x3	1,300	S235J2	4.3	8.6	0.19	0.39
6	p273	PL 6x50x100	100	S355JR	0.2	1.4	0.01	0.07
12	p334	M10x30	30	4.6	0	0.5		
				TOTAL		60.8		2.75
1	A84	RHS50x30x3	9,405					
2	p52	RHS50x30x3	9,405	S235J2	31	62.1	1.41	2.82
15	p2	RHS50x30x3	1,240	S235J2	4.1	61.4	0.19	2.79
1	p6	RHS50x30x3	1,300	S235J2	4.3	4.3	0.19	0.19
				TOTAL		127.7		5.81
1	A85	RHS50x30x3	9,476					
2	p51	RHS50x30x3	9,476	S235J2	31.3	62.5	1.42	2.84
13	p2	RHS50x30x3	1,240	S235J2	4.1	53.2	0.19	2.42
1	p6	RHS50x30x3	1,300	S235J2	4.3	4.3	0.19	0.19
				TOTAL		120		5.46
1	A87	RHS50x30x3	9,590					
2	p50	RHS50x30x3	9,589	S235J2	31.6	63.3	1.44	2.88
14	p2	RHS50x30x3	1,240	S235J2	4.1	57.3	0.19	2.6
1	p6	RHS50x30x3	1,300	S235J2	4.3	4.3	0.19	0.19
				TOTAL		124.9		5.68
1	A88	RHS50x30x3	8,080					
2	p53	RHS50x30x3	8,079	S235J2	26.7	53.3	1.21	2.42
13	p2	RHS50x30x3	1,240	S235J2	4.1	53.2	0.19	2.42
1	p6	RHS50x30x3	1,300	S235J2	4.3	4.3	0.19	0.19
				TOTAL		110.8		5.04

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	A89	RHS60x3	1,683					
1	p145	RHS60x3	1,358	S355JR	7	7	0.31	0.31
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0	0	0
2	p320	M20x50	50	10.9	0.3	0.6		
					<u>TOTAL</u>	11.2		0.44

1	A90	RHS60x3	1,669					
1	p147	RHS60x3	1,344	S355JR	7	7	0.31	0.31
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p320	M20x50	50	10.9	0.3	0.6		
					<u>TOTAL</u>	11.1		0.44

1	A91	RHS60x3	1,651					
1	p148	RHS60x3	1,331	S355JR	6.9	6.9	0.31	0.31
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p202	PL 8x100x255	255	S355JR	1.6	1.6	0.06	0.06
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
4	p320	M20x50	50	10.9	0.3	1.2		
					<u>TOTAL</u>	11.5		0.43

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A92	RHS60x3	1,733					
1	p144	RHS60x3	1,408	S355JR	7.3	7.3	0.32	0.32
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
1	p223	PL 3x11x56	56	S355JR	0	0	0	0
1	p224	PL 3x37x56	56	S355JR	0	0	0	0
2	p320	M20x50	50	10.9	0.3	0.6		
					TOTAL	11.5		0.46

1	A93	RHS60x3	1,683					
1	p146	RHS60x3	1,358	S355JR	7	7	0.31	0.31
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p207	PL 8x100x265	265	S355JR	1.7	1.7	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
4	p320	M20x50	50	10.9	0.3	1.2		
					TOTAL	11.8		0.44

1	A94	RHS60x3	1,215					
1	p151	RHS60x3	900	S355JR	4.7	4.7	0.21	0.21
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p285	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p320	M20x50	50	10.9	0.3	0.6		
2	p332	M20x45	45	10.9	0.3	0.6		
					TOTAL	9.5		0.34

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A95	RHS60x3	1,240					
1	p149	RHS60x3	925	S355JR	4.8	4.8	0.21	0.21
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p320	M20x50	50	10.9	0.3	0.6		
					TOTAL	9		0.35

1	A96	RHS60x3	1,225					
1	p150	RHS60x3	910	S355JR	4.7	4.7	0.21	0.21
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p211	PL 3x21x56	56	S355JR	0	0	0	0
1	p212	PL 3x27x56	56	S355JR	0	0	0	0
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p320	M20x50	50	10.9	0.3	0.6		
					TOTAL	9		0.34

1	A97	RHS60x3	1,217					
1	p34	RHS60x3	902	S355JR	4.7	4.7	0.21	0.21
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p285	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p332	M20x45	45	10.9	0.3	0.6		
					TOTAL	8.9		0.34
					Page 26		/ 71	

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	A98	RHS60x3	1,195					
1	p152	RHS60x3	880	S355JR	4.6	4.6	0.2	0.2
2	p192	PL 3x16x56	56	S355JR	0	0	0	0
2	p193	PL 3x32x56	56	S355JR	0	0.1	0	0.01
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p215	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
4	p320	M20x50	50	10.9	0.3	1.2		
				TOTAL	9.4			0.34
1	A99	RHS60x3	1,217					
1	p35	RHS60x3	902	S355JR	4.7	4.7	0.21	0.21
1	p192	PL 3x16x56	56	S355JR	0	0	0	0
1	p193	PL 3x32x56	56	S355JR	0	0	0	0
1	p204	PL 8x110x255	255	S355JR	1.8	1.8	0.06	0.06
1	p211	PL 3x21x56	56	S355JR	0	0	0	0
1	p212	PL 3x27x56	56	S355JR	0	0	0	0
1	p285	PL 8x110x260	260	S355JR	1.7	1.7	0.06	0.06
2	p320	M20x50	50	10.9	0.3	0.6		
2	p332	M20x45	45	10.9	0.3	0.6		
				TOTAL	9.5			0.34
1	A100	RHS60x30x3.2	584					
1	p3	RHS60x30x3.2	584	S235J2	2.4	2.4	0.1	0.1
				TOTAL	2.4			0.1
120	A101	PL 20x80x80	80					
1	p196	PL 20x80x80	80	S355JR	1	120.6	0.02	2.3
				TOTAL	120.6			2.3
8	A103	PL 15x70x70	70					
1	p250	PL 15x70x70	70	S355JR	0.6	4.6	0.01	0.11
				TOTAL	4.6			0.11

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
4	G2	IPE450	5,189					
1	p12	IPE450	5,151	S355JR	399.7	1,598.90	8.29	33.17
6	p198	PL 10x160x440	440	S355JR	5.5	132.6	0.15	3.67
6	p200	PL 6x90.3x420.8	421	S355JR	1.8	42.5	0.08	1.95
2	p206	PL 10x170x175	175	S355JR	2.3	18.5	0.07	0.53
2	p213	PL 10x90.3x418.8	419	S355JR	2.9	23.5	0.08	0.68
1	p214	PL 20x220x470	470	S355JR	16.2	64.9	0.23	0.94
1	p226	PL 10x100x467.11	467	S355JR	3.7	14.7	0.1	0.42
1	p227	PL 10x134.55x430.64	431	S355JR	2.6	10.3	0.08	0.3
1	p233	PL 20x190x610.66	611	S355JR	18.2	72.9	0.26	1.06
6	p321	M16x45	45	10.9	0.2	4.6		
					TOTAL	1,983.40		42.71

4	G3	IPE450	5,189					
1	p12	IPE450	5,151	S355JR	399.7	1,598.90	8.29	33.17
6	p198	PL 10x160x440	440	S355JR	5.5	132.6	0.15	3.67
6	p200	PL 6x90.3x420.8	421	S355JR	1.8	42.5	0.08	1.95
2	p206	PL 10x170x175	175	S355JR	2.3	18.5	0.07	0.53
2	p213	PL 10x90.3x418.8	419	S355JR	2.9	23.5	0.08	0.68
1	p214	PL 20x220x470	470	S355JR	16.2	64.9	0.23	0.94
1	p226	PL 10x100x467.11	467	S355JR	3.7	14.7	0.1	0.42
1	p227	PL 10x134.55x430.64	431	S355JR	2.6	10.3	0.08	0.3
1	p233	PL 20x190x610.66	611	S355JR	18.2	72.9	0.26	1.06
6	p321	M16x45	45	10.9	0.2	4.6		
12	p323	M24x75	75	10.9	0.6	30.5		
					TOTAL	2,013.90		42.71

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G4	HEA220	5,939					
1	p68	HEA220	5,909	S355JR	298.4	298.4	7.44	7.44
4	p220	PL 10x170x185.37	185	S355JR	2.5	9.8	0.07	0.28
2	p242	PL 15x210.29x220	220	S355JR	5.4	10.9	0.11	0.21
4	p254	PL 8x106.5x189.13	189	S355JR	1.2	5	0.04	0.18
12	p321	M16x45	45	10.9	0.2	2.3		
4	p326	M20x65	65	10.9	0.3	1.4		
					TOTAL	327.8		8.11
1	G5	HEA220	5,927					
1	p67	HEA220	5,912	S355JR	298.6	298.6	7.45	7.45
4	p220	PL 10x170x185.37	185	S355JR	2.5	9.8	0.07	0.28
1	p242	PL 15x210.29x220	220	S355JR	5.4	5.4	0.11	0.11
12	p321	M16x45	45	10.9	0.2	2.3		
					TOTAL	316.1		7.83
1	G6	HEA220	5,840					
1	p69	HEA220	5,810	S355JR	293.4	293.4	7.32	7.32
5	p220	PL 10x170x185.37	185	S355JR	2.5	12.3	0.07	0.35
4	p222	PL 8x106.5x188.31	188	S355JR	1.2	5	0.04	0.18
2	p242	PL 15x210.29x220	220	S355JR	5.4	10.9	0.11	0.21
4	p253	PL 8x106.5x186.11	186	S355JR	1.2	4.9	0.04	0.17
15	p321	M16x45	45	10.9	0.2	2.9		
8	p326	M20x65	65	10.9	0.3	2.8		
					TOTAL	332.1		8.23

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G7	HEA220	5,840					
1	p70	HEA220	5,810	S355JR	293.4	293.4	7.32	7.32
5	p220	PL 10x170x185.37	185	S355JR	2.5	12.3	0.07	0.35
4	p222	PL 8x106.5x188.31	188	S355JR	1.2	5	0.04	0.18
2	p242	PL 15x210.29x220	220	S355JR	5.4	10.9	0.11	0.21
4	p253	PL 8x106.5x186.11	186	S355JR	1.2	4.9	0.04	0.17
15	p321	M16x45	45	10.9	0.2	2.9		
4	p326	M20x65	65	10.9	0.3	1.4		
					TOTAL	330.7		8.23

1	G8	HEA220	3,655					
1	p81	HEA220	3,637	S355JR	183.7	183.7	4.58	4.58
1	p58	PL 8x150x185.92	186	S355JR	1.7	1.7	0.06	0.06
3	p203	PL 6x100x185	185	S355JR	0.8	2.5	0.04	0.12
4	p222	PL 8x106.5x188.31	188	S355JR	1.2	5	0.04	0.18
1	p242	PL 15x210.29x220	220	S355JR	5.4	5.4	0.11	0.11
2	p272	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
1	p276	PL 8x150x185.66	186	S355JR	1.7	1.7	0.06	0.06
1	p295	PL 8x150x186.44	186	S355JR	1.8	1.8	0.06	0.06
12	p321	M16x45	45	10.9	0.2	2.3		
8	p324	M10x30	30	4.6	0	0.3		
					TOTAL	206.4		5.25

List produced by AUTODESK Advance Steel

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G9	HEA220	3,609					
1	p82	HEA220	3,589	S355JR	181.3	181.3	4.52	4.52
1	p58	PL 8x150x185.92	186	S355JR	1.7	1.7	0.06	0.06
3	p203	PL 6x100x185	185	S355JR	0.8	2.5	0.04	0.12
4	p222	PL 8x106.5x188.31	188	S355JR	1.2	5	0.04	0.18
1	p242	PL 15x210.29x220	220	S355JR	5.4	5.4	0.11	0.11
2	p272	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
1	p276	PL 8x150x185.66	186	S355JR	1.7	1.7	0.06	0.06
1	p295	PL 8x150x186.44	186	S355JR	1.8	1.8	0.06	0.06
12	p321	M16x45	45	10.9	0.2	2.3		
					TOTAL	203.6		5.19

1	G10	HEA220	3,727					
1	p80	HEA220	3,708	S355JR	187.3	187.3	4.67	4.67
1	p242	PL 15x210.29x220	220	S355JR	5.4	5.4	0.11	0.11
4	p254	PL 8x106.5x189.13	189	S355JR	1.2	5	0.04	0.18
2	p272	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
1	p304	PL 6x100x187.11	187	S355JR	0.8	0.8	0.04	0.04
1	p305	PL 6x100x192.52	193	S355JR	0.9	0.9	0.04	0.04
1	p306	PL 6x100x196.75	197	S355JR	0.9	0.9	0.04	0.04
1	p311	PL 8x150x187.34	187	S355JR	1.8	1.8	0.06	0.06
1	p312	PL 8x150x192.75	193	S355JR	1.8	1.8	0.06	0.06
1	p313	PL 8x150x197.75	198	S355JR	1.9	1.9	0.06	0.06
12	p321	M16x45	45	10.9	0.2	2.3		
8	p324	M10x30	30	4.6	0	0.3		
4	p326	M20x65	65	10.9	0.3	1.4		
					TOTAL	211.6		5.35

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G12	IPE360	3,126					
1	p100	IPE360	3,106	S355JR	177.3	177.3	4.19	4.19
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
3	p203	PL 6x100x185	185	S355JR	0.8	2.5	0.04	0.12
3	p205	PL 8x150x185	185	S355JR	1.7	5.2	0.06	0.18
2	p245	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
12	p321	M16x45	45	10.9	0.2	2.3		
8	p324	M10x30	30	4.6	0	0.3		
TOTAL					201.8			4.76

5	G13	IPE360	3,114					
1	p25	IPE360	3,086	S355JR	176.2	881	4.17	20.83
1	p201	PL 20x200x390	390	S355JR	12.2	61.2	0.18	0.9
3	p203	PL 6x100x185	185	S355JR	0.8	12.6	0.04	0.58
3	p205	PL 8x150x185	185	S355JR	1.7	26.1	0.06	0.91
2	p245	PL 6x100x200	200	S355JR	0.9	9.4	0.04	0.44
12	p321	M16x45	45	10.9	0.2	11.5		
8	p324	M10x30	30	4.6	0	1.7		
TOTAL					1,003.50			23.66

1	G14	IPE360	1,679					
1	p106	IPE360	1,650	S355JR	94.2	94.2	2.23	2.23
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
2	p203	PL 6x100x185	185	S355JR	0.8	1.7	0.04	0.08
2	p205	PL 8x150x185	185	S355JR	1.7	3.5	0.06	0.12
4	p267	PL 10x81x100	100	S355JR	0.6	2.5	0.02	0.08
2	p272	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
10	p321	M16x45	45	10.9	0.2	1.9		
TOTAL					117.9			2.77

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G15	IPE360	1,927					
1	p105	IPE360	1,898	S355JR	108.4	108.4	2.56	2.56
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
2	p203	PL 6x100x185	185	S355JR	0.8	1.7	0.04	0.08
2	p205	PL 8x150x185	185	S355JR	1.7	3.5	0.06	0.12
2	p245	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
8	p321	M16x45	45	10.9	0.2	1.5		
					TOTAL	129.2		3.03

1	G16	IPE360	2,184					
1	p104	IPE360	2,155	S355JR	123.1	123.1	2.91	2.91
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
3	p203	PL 6x100x185	185	S355JR	0.8	2.5	0.04	0.12
3	p205	PL 8x150x185	185	S355JR	1.7	5.2	0.06	0.18
2	p245	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
12	p321	M16x45	45	10.9	0.2	2.3		
					TOTAL	147.2		3.48

1	G17	IPE360	2,442					
1	p103	IPE360	2,413	S355JR	137.8	137.8	3.26	3.26
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
4	p203	PL 6x100x185	185	S355JR	0.8	3.4	0.04	0.16
4	p205	PL 8x150x185	185	S355JR	1.7	7	0.06	0.24
2	p245	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
16	p321	M16x45	45	10.9	0.2	3.1		
					TOTAL	165.3		3.92

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G18	IPE360	2,719					
1	p102	IPE360	2,691	S355JR	153.6	153.6	3.63	3.63
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
4	p203	PL 6x100x185	185	S355JR	0.8	3.4	0.04	0.16
4	p205	PL 8x150x185	185	S355JR	1.7	7	0.06	0.24
2	p245	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
16	p321	M16x45	45	10.9	0.2	3.1		
					TOTAL	181.2		4.3

1	G19	IPE360	2,948					
1	p101	IPE360	2,919	S355JR	166.7	166.7	3.94	3.94
1	p201	PL 20x200x390	390	S355JR	12.2	12.2	0.18	0.18
4	p203	PL 6x100x185	185	S355JR	0.8	3.4	0.04	0.16
4	p205	PL 8x150x185	185	S355JR	1.7	7	0.06	0.24
2	p245	PL 6x100x200	200	S355JR	0.9	1.9	0.04	0.09
16	p321	M16x45	45	10.9	0.2	3.1		
					TOTAL	194.2		4.61
						34	71	

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G20	IPE450	5,191					
1	p12	IPE450	5,151	S355JR	399.7	399.7	8.29	8.29
6	p198	PL 10x160x440	440	S355JR	5.5	33.2	0.15	0.92
6	p200	PL 6x90.3x420.8	421	S355JR	1.8	10.6	0.08	0.49
2	p206	PL 10x170x175	175	S355JR	2.3	4.6	0.07	0.13
2	p213	PL 10x90.3x418.8	419	S355JR	2.9	5.9	0.08	0.17
1	p214	PL 20x220x470	470	S355JR	16.2	16.2	0.23	0.23
1	p226	PL 10x100x467.11	467	S355JR	3.7	3.7	0.1	0.1
1	p227	PL 10x134.55x430.64	431	S355JR	2.6	2.6	0.08	0.08
1	p233	PL 20x190x610.66	611	S355JR	18.2	18.2	0.26	0.26
4	p252	PL 6x90x419.09	419	S355JR	1.7	6.9	0.08	0.32
3	p258	PL 6x260x419.09	419	S355JR	4	12	0.18	0.53
1	p289	PL 6x260x419.09	419	S355JR	4	4	0.18	0.18
2	p319	M16x50	50	10.9	0.2	0.4		
6	p321	M16x45	45	10.9	0.2	1.1		
TOTAL					519.2			11.71

List produced by AUTODESK Advance Steel

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G21	IPE450	5,191					
1	p12	IPE450	5,151	S355JR	399.7	399.7	8.29	8.29
6	p198	PL 10x160x440	440	S355JR	5.5	33.2	0.15	0.92
6	p200	PL 6x90.3x420.8	421	S355JR	1.8	10.6	0.08	0.49
2	p206	PL 10x170x175	175	S355JR	2.3	4.6	0.07	0.13
2	p213	PL 10x90.3x418.8	419	S355JR	2.9	5.9	0.08	0.17
1	p214	PL 20x220x470	470	S355JR	16.2	16.2	0.23	0.23
1	p226	PL 10x100x467.11	467	S355JR	3.7	3.7	0.1	0.1
1	p227	PL 10x134.55x430.64	431	S355JR	2.6	2.6	0.08	0.08
1	p233	PL 20x190x610.66	611	S355JR	18.2	18.2	0.26	0.26
4	p252	PL 6x90x419.09	419	S355JR	1.7	6.9	0.08	0.32
3	p258	PL 6x260x419.09	419	S355JR	4	12	0.18	0.53
1	p289	PL 6x260x419.09	419	S355JR	4	4	0.18	0.18
6	p321	M16x45	45	10.9	0.2	1.1		
12	p323	M24x75	75	10.9	0.6	7.6		
TOTAL					526.5			11.71

List produced by AUTODESK Advance Steel

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m ²)	Total surface (m ²)
1	G22	IPE450	5,191					
1	p12	IPE450	5,151	S355JR	399.7	399.7	8.29	8.29
6	p198	PL 10x160x440	440	S355JR	5.5	33.2	0.15	0.92
6	p200	PL 6x90.3x420.8	421	S355JR	1.8	10.6	0.08	0.49
2	p206	PL 10x170x175	175	S355JR	2.3	4.6	0.07	0.13
2	p213	PL 10x90.3x418.8	419	S355JR	2.9	5.9	0.08	0.17
1	p214	PL 20x220x470	470	S355JR	16.2	16.2	0.23	0.23
1	p226	PL 10x100x467.11	467	S355JR	3.7	3.7	0.1	0.1
1	p227	PL 10x134.55x430.64	431	S355JR	2.6	2.6	0.08	0.08
1	p233	PL 20x190x610.66	611	S355JR	18.2	18.2	0.26	0.26
2	p281	PL 10x90x418.87	419	S355JR	2.9	5.8	0.08	0.17
1	p286	PL 10x320x418.87	419	S355JR	8.5	8.5	0.23	0.23
1	p300	PL 10x320x418.87	419	S355JR	8.5	8.5	0.23	0.23
6	p321	M16x45	45	10.9	0.2	1.1		
TOTAL					518.6			11.3

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
1	G23	IPE450	5,192					
1	p12	IPE450	5,151	S355JR	399.7	399.7	8.29	8.29
6	p198	PL 10x160x440	440	S355JR	5.5	33.2	0.15	0.92
6	p200	PL 6x90.3x420.8	421	S355JR	1.8	10.6	0.08	0.49
2	p206	PL 10x170x175	175	S355JR	2.3	4.6	0.07	0.13
2	p213	PL 10x90.3x418.8	419	S355JR	2.9	5.9	0.08	0.17
1	p214	PL 20x220x470	470	S355JR	16.2	16.2	0.23	0.23
1	p226	PL 10x100x467.11	467	S355JR	3.7	3.7	0.1	0.1
1	p227	PL 10x134.55x430.64	431	S355JR	2.6	2.6	0.08	0.08
1	p233	PL 20x190x610.66	611	S355JR	18.2	18.2	0.26	0.26
1	p281	PL 10x90x418.87	419	S355JR	2.9	2.9	0.08	0.08
1	p286	PL 10x320x418.87	419	S355JR	8.5	8.5	0.23	0.23
6	p321	M16x45	45	10.9	0.2	1.1		
12	p323	M24x75	75	10.9	0.6	7.6		
					TOTAL	514.8		10.99

1	GL1	HEA220	652					
1	p85	HEA220	636	S355JR	32.1	32.1	0.8	0.8
1	p251	PL 16x220x230	230	S355JR	6.4	6.4	0.12	0.12
1	p309	PL 8x100x186	186	S355JR	1.1	1.1	0.04	0.04
6	p326	M20x65	65	10.9	0.3	2.1		
					TOTAL	41.7		0.96

6	GL7	IPE360	5,000					
1	p20	IPE360	4,960	S355JR	283.2	1,699.30	6.7	40.18
2	p201	PL 20x200x390	390	S355JR	12.2	147	0.18	2.16
					TOTAL	1,846.20		42.33

List produced by AUTODESK Advance Steel

Quantity	Mark	Description	Length (mm)	Coating Grade	Part weight (kg)	Total weight (kg)	Part surface (m²)	Total surface (m²)
4	GL11	IPE360	4,775					
1	p29	IPE360	4,735	S355JR	270.4	1,081.50	6.39	25.57
2	p201	PL 20x200x390	390	S355JR	12.2	98	0.18	1.44
					TOTAL	1,179.40		27.01
1	GL31	HEA220	3,004					
1	p83	HEA220	2,988	S355JR	150.9	150.9	3.76	3.76
1	p251	PL 16x220x230	230	S355JR	6.4	6.4	0.12	0.12
6	p326	M20x65	65	10.9	0.3	2.1		
					TOTAL	159.3		3.88
1	GL32	HEA220	4,404					
1	p79	HEA220	4,388	S355JR	221.6	221.6	5.53	5.53
1	p251	PL 16x220x230	230	S355JR	6.4	6.4	0.12	0.12
					TOTAL	228		5.64
1	GL33	HEA220	2,885					
1	p84	HEA220	2,869	S355JR	144.9	144.9	3.62	3.62
1	p251	PL 16x220x230	230	S355JR	6.4	6.4	0.12	0.12
					TOTAL	151.3		3.73
12	P1	IPE200	5,790					
1	p5	IPE200	5,766	S355JR	129.2	1,549.90	4.43	53.14
2	p199	PL 12x160x210	210	S355JR	3.2	76	0.08	1.83
12	p319	M16x50	50	10.9	0.2	28.7		
					TOTAL	1,654.50		54.97
10	P2	UPE200	12,000					
1	p15	UPE200	12,000	S355JR	273.6	2,736	8.34	83.4
					TOTAL	2,736		83.4