

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------|--------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 4 | P3 | UPE200 | 5,790 | | | | | |
| 1 | p36 | UPE200 | 5,790 | S355JR | 132 | 528 | 4.02 | 16.1 |
| | | | | | TOTAL | 528 | | 16.1 |
| 2 | P4 | IPE200 | 5,790 | | | | | |
| 1 | p5 | IPE200 | 5,766 | S355JR | 129.2 | 258.3 | 4.43 | 8.86 |
| 8 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 6.2 | 0.02 | 0.31 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 12.7 | 0.08 | 0.3 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 6.5 | 0.06 | 0.23 |
| 2 | p237 | PL 8x181.17x196.35 | 196 | S355JR | 2 | 8 | 0.07 | 0.28 |
| 1 | p261 | PL 8x217.25x499.36 | 499 | S355JR | 6.4 | 12.9 | 0.22 | 0.43 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 4.8 | | |
| 8 | p320 | M20x50 | 50 | 10.9 | 0.3 | 4.9 | | |
| | | | | | TOTAL | 314.3 | | 10.4 |
| 1 | P4 | IPE200 | 0 | | | | | |
| 1 | p5 | IPE200 | 5,766 | S355JR | 129.2 | 129.2 | 4.43 | 4.43 |
| 8 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 3.1 | 0.02 | 0.15 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 3.3 | 0.06 | 0.11 |
| 2 | p237 | PL 8x181.17x196.35 | 196 | S355JR | 2 | 4 | 0.07 | 0.14 |
| 1 | p261 | PL 8x217.25x499.36 | 499 | S355JR | 6.4 | 6.4 | 0.22 | 0.22 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 14 | p320 | M20x50 | 50 | 10.9 | 0.3 | 4.3 | | |
| | | | | | TOTAL | 159 | | 5.2 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|-----------|--------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 3 | P5 | IPE200 | 5,790 | | | | | |
| 1 | p5 | IPE200 | 5,766 | S355JR | 129.2 | 387.5 | 4.43 | 13.28 |
| 8 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 9.3 | 0.02 | 0.46 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 19 | 0.08 | 0.46 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 9.8 | 0.06 | 0.34 |
| 2 | p237 | PL 8x181.17x196.35 | 196 | S355JR | 2 | 12.1 | 0.07 | 0.42 |
| 1 | p261 | PL 8x217.25x499.36 | 499 | S355JR | 6.4 | 19.3 | 0.22 | 0.65 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 7.2 | | |
| 6 | p320 | M20x50 | 50 | 10.9 | 0.3 | 5.5 | | |
| | | | | | TOTAL | 469.6 | | 15.61 |
| 3 | P6 | UPE200 | 5,770 | | | | | |
| 1 | p28 | UPE200 | 5,770 | S355JR | 131.6 | 394.7 | 4.01 | 12.03 |
| 2 | p238 | PL 8x218.41x484.21 | 484 | S355JR | 6.3 | 37.6 | 0.21 | 1.26 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 3.8 | 0.04 | 0.13 |
| | | | | | TOTAL | 436 | | 13.42 |
| 2 | P7 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 248.2 | 4.26 | 8.51 |
| 4 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 3.1 | 0.02 | 0.15 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 12.7 | 0.08 | 0.3 |
| 2 | p260 | PL 8x215.22x291.12 | 291 | S355JR | 3.5 | 13.9 | 0.12 | 0.47 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 4.8 | | |
| | | | | | TOTAL | 282.7 | | 9.44 |
| 2 | P8 | IPE200 | 929 | | | | | |
| 1 | p47 | IPE200 | 923 | S355JR | 20.7 | 41.4 | 0.71 | 1.42 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 1.9 | 0.04 | 0.09 |
| | | | | | TOTAL | 43.2 | | 1.51 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------------|--------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 2 | P9 | IPE200 | 879 | | | | | |
| 1 | p38 | IPE200 | 871 | S355JR | 19.5 | 39 | 0.67 | 1.34 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 1.4 | 0.03 | 0.07 |
| 2 | P10 | IPE200 | 928 | | | | | |
| 1 | p46 | IPE200 | 925 | S355JR | 20.7 | 41.5 | 0.71 | 1.42 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 1.9 | 0.04 | 0.09 |
| 1 | P11 | UPE200 | 5,770 | | | | | |
| 1 | p28 | UPE200 | 5,770 | S355JR | 131.6 | 131.6 | 4.01 | 4.01 |
| 2 | p238 | PL 8x218.41x484.21 | 484 | S355JR | 6.3 | 12.5 | 0.21 | 0.42 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| 12 | p320 | M20x50 | 50 | 10.9 | 0.3 | 3.7 | | |
| 1 | P11 | UPE200 | 0 | | | | | |
| 1 | p28 | UPE200 | 5,770 | S355JR | 131.6 | 131.6 | 4.01 | 4.01 |
| 2 | p238 | PL 8x218.41x484.21 | 484 | S355JR | 6.3 | 12.5 | 0.21 | 0.42 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| 2 | P12 | UPE200 | 5,790 | | | | | |
| 1 | p66 | UPE200 | 5,790 | S355JR | 132 | 264 | 4.02 | 8.05 |
| 2 | P13 | UPE200 | 6,170 | | | | | |
| 1 | p65 | UPE200 | 6,170 | S355JR | 140.7 | 281.4 | 4.29 | 8.58 |

List produced by AUTODESK Advance Steel

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|--------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P14 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 11 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 4.3 | 0.02 | 0.21 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 3 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 4.9 | 0.06 | 0.17 |
| 2 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 4.1 | 0.07 | 0.14 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p278 | PL 8x217.74x492.01 | 492 | S355JR | 6.4 | 6.4 | 0.21 | 0.21 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 8 | p320 | M20x50 | 50 | 10.9 | 0.3 | 2.5 | | |
| | | | | | TOTAL | 157 | | 5.22 |

| | | | | | | | | |
|----|------|--------------------|-------|--------|--------------|-------|------|------|
| 1 | P15 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 6 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 2.3 | 0.02 | 0.11 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 3.3 | 0.06 | 0.11 |
| 1 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 4 | p320 | M20x50 | 50 | 10.9 | 0.3 | 1.2 | | |
| | | | | | TOTAL | 143.8 | | 4.78 |

List produced by AUTODESK Advance Steel

Page

43

/

71

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------------|--------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 1 | P16 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 11 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 4.3 | 0.02 | 0.21 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 3 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 4.9 | 0.06 | 0.17 |
| 1 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p278 | PL 8x217.74x492.01 | 492 | S355JR | 6.4 | 6.4 | 0.21 | 0.21 |
| 1 | p314 | PL 8x180.63x203.66 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 10 | p320 | M20x50 | 50 | 10.9 | 0.3 | 3.1 | | |
| | | | | | TOTAL | 157.6 | | 5.22 |
| 1 | P17 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 6 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 2.3 | 0.02 | 0.11 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 3.3 | 0.06 | 0.11 |
| 1 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 4 | p320 | M20x50 | 50 | 10.9 | 0.3 | 1.2 | | |
| | | | | | TOTAL | 143.8 | | 4.78 |

List produced by AUTODESK Advance Steel

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------------|--------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P18 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 11 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 4.3 | 0.02 | 0.21 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 3 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 4.9 | 0.06 | 0.17 |
| 2 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 4.1 | 0.07 | 0.14 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p278 | PL 8x217.74x492.01 | 492 | S355JR | 6.4 | 6.4 | 0.21 | 0.21 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 14 | p320 | M20x50 | 50 | 10.9 | 0.3 | 4.3 | | |
| | | | | | TOTAL | 158.8 | | 5.22 |

| | | | | | | | | |
|----------|------------|--------------------|--------------|--------|--------------|------------|------|-------------|
| 1 | P19 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 4 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 1.6 | 0.02 | 0.08 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 1 | p260 | PL 8x215.22x291.12 | 291 | S355JR | 3.5 | 3.5 | 0.12 | 0.12 |
| 1 | p296 | PL 8x215.22x291.12 | 291 | S355JR | 3.5 | 3.5 | 0.12 | 0.12 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 2 | p320 | M20x50 | 50 | 10.9 | 0.3 | 0.6 | | |
| | | | | | TOTAL | 142 | | 4.72 |
| | | | | | | | Page | 71 |
| | | | | | | | 45 | / |

List produced by AUTODESK Advance Steel

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|--------------|------------|--------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P20 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 6 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 2.3 | 0.02 | 0.11 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 3.3 | 0.06 | 0.11 |
| 1 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 4 | p320 | M20x50 | 50 | 10.9 | 0.3 | 1.2 | | |
| TOTAL | | | | | | 143.8 | | 4.78 |

| | | | | | | | | |
|--------------|------------|--------------------|--------------|--------|-------|------------|------|-------------|
| 1 | P21 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 11 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 4.3 | 0.02 | 0.21 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 3 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 4.9 | 0.06 | 0.17 |
| 2 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 4.1 | 0.07 | 0.14 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p278 | PL 8x217.74x492.01 | 492 | S355JR | 6.4 | 6.4 | 0.21 | 0.21 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 8 | p320 | M20x50 | 50 | 10.9 | 0.3 | 2.5 | | |
| TOTAL | | | | | | 157 | | 5.22 |

List produced by AUTODESK Advance Steel

Page

46

/

71

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------------|--------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P22 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 4 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 1.6 | 0.02 | 0.08 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 1 | p260 | PL 8x215.22x291.12 | 291 | S355JR | 3.5 | 3.5 | 0.12 | 0.12 |
| 1 | p296 | PL 8x215.22x291.12 | 291 | S355JR | 3.5 | 3.5 | 0.12 | 0.12 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 2 | p320 | M20x50 | 50 | 10.9 | 0.3 | 0.6 | | |
| | | | | | TOTAL | 142 | | 4.72 |
| 1 | P23 | IPE200 | 5,565 | | | | | |
| 1 | p11 | IPE200 | 5,541 | S355JR | 124.1 | 124.1 | 4.26 | 4.26 |
| 6 | p194 | PL 6x46.2x183 | 183 | S355JR | 0.4 | 2.3 | 0.02 | 0.11 |
| 2 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 6.3 | 0.08 | 0.15 |
| 2 | p208 | PL 8x125x207.2 | 207 | S355JR | 1.6 | 3.3 | 0.06 | 0.11 |
| 1 | p241 | PL 8x180.62x202.17 | 202 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 1 | p255 | PL 8x180.4x203.92 | 204 | S355JR | 2.1 | 2.1 | 0.07 | 0.07 |
| 12 | p319 | M16x50 | 50 | 10.9 | 0.2 | 2.4 | | |
| 4 | p320 | M20x50 | 50 | 10.9 | 0.3 | 1.2 | | |
| | | | | | TOTAL | 143.8 | | 4.78 |
| 1 | P24 | IPE200 | 2,374 | | | | | |
| 1 | p94 | IPE200 | 2,362 | S355JR | 52.9 | 52.9 | 1.81 | 1.81 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | | TOTAL | 57.3 | | 1.89 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P25 | IPE200 | 2,676 | | | | | |
| 1 | p93 | IPE200 | 2,664 | S355JR | 59.7 | 59.7 | 2.05 | 2.05 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 64 | | | 2.12 |
| 1 | P26 | IPE200 | 3,453 | | | | | |
| 1 | p91 | IPE200 | 3,441 | S355JR | 77.1 | 77.1 | 2.64 | 2.64 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 81.4 | | | 2.72 |
| 1 | P27 | IPE200 | 876 | | | | | |
| 1 | p39 | IPE200 | 870 | S355JR | 19.5 | 19.5 | 0.67 | 0.67 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | TOTAL | 20.2 | | | 0.7 |
| 1 | P28 | IPE200 | 3,627 | | | | | |
| 1 | p90 | IPE200 | 3,615 | S355JR | 81 | 81 | 2.78 | 2.78 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 85.3 | | | 2.85 |
| 1 | P29 | IPE200 | 876 | | | | | |
| 1 | p39 | IPE200 | 870 | S355JR | 19.5 | 19.5 | 0.67 | 0.67 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | TOTAL | 20.2 | | | 0.7 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------|---------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 1 | P30 | IPE200 | 3,801 | | | | | |
| 1 | p89 | IPE200 | 3,789 | S355JR | 84.9 | 84.9 | 2.91 | 2.91 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 89.2 | | | 2.99 |
| 1 | P31 | IPE200 | 876 | | | | | |
| 1 | p39 | IPE200 | 870 | S355JR | 19.5 | 19.5 | 0.67 | 0.67 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | TOTAL | 20.2 | | | 0.7 |
| 1 | P32 | IPE200 | 4,194 | | | | | |
| 1 | p88 | IPE200 | 4,182 | S355JR | 93.7 | 93.7 | 3.21 | 3.21 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 98 | | | 3.29 |
| 1 | P33 | IPE200 | 879 | | | | | |
| 1 | p38 | IPE200 | 871 | S355JR | 19.5 | 19.5 | 0.67 | 0.67 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | TOTAL | 20.2 | | | 0.7 |
| 1 | P34 | IPE200 | 4,369 | | | | | |
| 1 | p87 | IPE200 | 4,357 | S355JR | 97.6 | 97.6 | 3.35 | 3.35 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 101.9 | | | 3.42 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P35 | IPE200 | 4,543 | | | | | |
| 1 | p86 | IPE200 | 4,531 | S355JR | 101.5 | 101.5 | 3.48 | 3.48 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | <u>TOTAL</u> | <u>105.8</u> | | | <u>3.56</u> |
| 1 | P36 | IPE200 | 1,085 | | | | | |
| 1 | p97 | IPE200 | 1,073 | S355JR | 24 | 24 | 0.82 | 0.82 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | <u>TOTAL</u> | <u>28.4</u> | | | <u>0.9</u> |
| 1 | P37 | IPE200 | 1,387 | | | | | |
| 1 | p96 | IPE200 | 1,375 | S355JR | 30.8 | 30.8 | 1.06 | 1.06 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | <u>TOTAL</u> | <u>35.2</u> | | | <u>1.13</u> |
| 1 | P38 | IPE200 | 1,690 | | | | | |
| 1 | p95 | IPE200 | 1,678 | S355JR | 37.6 | 37.6 | 1.29 | 1.29 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | <u>TOTAL</u> | <u>41.9</u> | | | <u>1.36</u> |
| 1 | P39 | IPE200 | 929 | | | | | |
| 1 | p98 | IPE200 | 926 | S355JR | 20.7 | 20.7 | 0.71 | 0.71 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | <u>TOTAL</u> | <u>21.7</u> | | | <u>0.75</u> |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------------|--------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P40 | IPE200 | 2,979 | | | | | |
| 1 | p92 | IPE200 | 2,967 | S355JR | 66.5 | 66.5 | 2.28 | 2.28 |
| 1 | p199 | PL 12x160x210 | 210 | S355JR | 3.2 | 3.2 | 0.08 | 0.08 |
| 6 | p319 | M16x50 | 50 | 10.9 | 0.2 | 1.2 | | |
| | | | | TOTAL | 70.8 | | | 2.35 |
| 1 | P41 | IPE200 | 929 | | | | | |
| 1 | p99 | IPE200 | 924 | S355JR | 20.7 | 20.7 | 0.71 | 0.71 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | TOTAL | 21.6 | | | 0.75 |
| 1 | P42 | UPE200 | 5,565 | | | | | |
| 1 | p37 | UPE200 | 5,565 | S355JR | 126.9 | 126.9 | 3.87 | 3.87 |
| 1 | p307 | PL 6x72x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p308 | PL 6x73x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p318 | PL 8x259.97x311.61 | 312 | S355JR | 4.3 | 4.3 | 0.14 | 0.14 |
| 2 | p320 | M20x50 | 50 | 10.9 | 0.3 | 0.6 | | |
| | | | | TOTAL | 133 | | | 4.07 |
| 1 | P43 | UPE200 | 5,770 | | | | | |
| 1 | p166 | UPE200 | 5,770 | S355JR | 131.6 | 131.6 | 4.01 | 4.01 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| 2 | p256 | PL 8x219.31x473.21 | 473 | S355JR | 6.1 | 12.3 | 0.21 | 0.41 |
| 12 | p320 | M20x50 | 50 | 10.9 | 0.3 | 3.7 | | |
| | | | | TOTAL | 148.8 | | | 4.47 |
| 1 | P44 | UPE200 | 5,565 | | | | | |
| 1 | p37 | UPE200 | 5,565 | S355JR | 126.9 | 126.9 | 3.87 | 3.87 |
| 1 | p283 | PL 6x72x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p284 | PL 6x73x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p315 | PL 8x214.97x245.42 | 245 | S355JR | 2.9 | 2.9 | 0.1 | 0.1 |
| | | | | TOTAL | 131 | | | 4.02 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------------|--------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 1 | P45 | UPE200 | 5,765 | | | | | |
| 1 | p169 | UPE200 | 5,765 | S355JR | 131.4 | 131.4 | 4.01 | 4.01 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| 2 | p256 | PL 8x219.31x473.21 | 473 | S355JR | 6.1 | 12.3 | 0.21 | 0.41 |
| 3 | p321 | M16x45 | 45 | 10.9 | 0.2 | 0.6 | | |
| | | TOTAL | | | 145.5 | | | 4.46 |
| 1 | P46 | UPE200 | 6,000 | | | | | |
| 1 | p163 | UPE200 | 6,000 | S355JR | 136.8 | 136.8 | 4.17 | 4.17 |
| 2 | p238 | PL 8x218.41x484.21 | 484 | S355JR | 6.3 | 12.5 | 0.21 | 0.42 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| | | TOTAL | | | 150.6 | | | 4.63 |
| 1 | P47 | UPE200 | 5,770 | | | | | |
| 1 | p167 | UPE200 | 5,770 | S355JR | 131.6 | 131.6 | 4.01 | 4.01 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| 2 | p256 | PL 8x219.31x473.21 | 473 | S355JR | 6.1 | 12.3 | 0.21 | 0.41 |
| | | TOTAL | | | 145.1 | | | 4.47 |
| 1 | P48 | UPE200 | 5,770 | | | | | |
| 1 | p168 | UPE200 | 5,770 | S355JR | 131.6 | 131.6 | 4.01 | 4.01 |
| 1 | p246 | PL 8x125x160 | 160 | S355JR | 1.3 | 1.3 | 0.04 | 0.04 |
| 2 | p256 | PL 8x219.31x473.21 | 473 | S355JR | 6.1 | 12.3 | 0.21 | 0.41 |
| 3 | p321 | M16x45 | 45 | 10.9 | 0.2 | 0.6 | | |
| | | TOTAL | | | 145.7 | | | 4.47 |
| 1 | P49 | UPE200 | 5,945 | | | | | |
| 1 | p164 | UPE200 | 5,945 | S355JR | 135.5 | 135.5 | 4.13 | 4.13 |
| | | TOTAL | | | 135.5 | | | 4.13 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------|--------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 1 | P50 | UPE200 | 3,979 | | | | | |
| 1 | p173 | UPE200 | 3,972 | S355JR | 90.6 | 90.6 | 2.76 | 2.76 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 91.3 | | 2.79 |
| 1 | P51 | UPE200 | 5,565 | | | | | |
| 1 | p37 | UPE200 | 5,565 | S355JR | 126.9 | 126.9 | 3.87 | 3.87 |
| 1 | p283 | PL 6x72x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p284 | PL 6x73x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p316 | PL 8x259.97x291.61 | 292 | S355JR | 4.1 | 4.1 | 0.14 | 0.14 |
| | | | | | <u>TOTAL</u> | 132.2 | | 4.06 |
| 1 | P52 | UPE200 | 5,565 | | | | | |
| 1 | p37 | UPE200 | 5,565 | S355JR | 126.9 | 126.9 | 3.87 | 3.87 |
| 1 | p283 | PL 6x72x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p284 | PL 6x73x178 | 178 | S355JR | 0.6 | 0.6 | 0.03 | 0.03 |
| 1 | p317 | PL 8x259.97x291.61 | 292 | S355JR | 4.3 | 4.3 | 0.15 | 0.15 |
| | | | | | <u>TOTAL</u> | 132.4 | | 4.07 |
| 1 | P53 | UPE200 | 3,375 | | | | | |
| 1 | p176 | UPE200 | 3,375 | S355JR | 77 | 77 | 2.35 | 2.35 |
| | | | | | <u>TOTAL</u> | 77 | | 2.35 |
| 1 | P54 | UPE200 | 878 | | | | | |
| 1 | p186 | UPE200 | 870 | S355JR | 19.8 | 19.8 | 0.6 | 0.6 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 20.5 | | 0.64 |
| 1 | P55 | UPE200 | 3,972 | | | | | |
| 1 | p174 | UPE200 | 3,972 | S355JR | 90.6 | 90.6 | 2.76 | 2.76 |
| | | | | | <u>TOTAL</u> | 90.6 | | 2.76 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|--------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P56 | UPE200 | 838 | | | | | |
| 1 | p189 | UPE200 | 834 | S355JR | 19 | 19 | 0.58 | 0.58 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 19.7 | | 0.61 |
| 1 | P57 | UPE200 | 4,021 | | | | | |
| 1 | p172 | UPE200 | 4,021 | S355JR | 91.7 | 91.7 | 2.79 | 2.79 |
| | | | | | <u>TOTAL</u> | 91.7 | | 2.79 |
| 1 | P58 | UPE200 | 856 | | | | | |
| 1 | p188 | UPE200 | 850 | S355JR | 19.4 | 19.4 | 0.59 | 0.59 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 20.1 | | 0.62 |
| 1 | P59 | UPE200 | 4,822 | | | | | |
| 1 | p171 | UPE200 | 4,822 | S355JR | 110 | 110 | 3.35 | 3.35 |
| 3 | p321 | M16x45 | 45 | 10.9 | 0.2 | 0.6 | | |
| | | | | | <u>TOTAL</u> | 110.5 | | 3.35 |
| 1 | P60 | UPE200 | 859 | | | | | |
| 1 | p187 | UPE200 | 853 | S355JR | 19.5 | 19.5 | 0.59 | 0.59 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 20.2 | | 0.63 |
| 1 | P61 | UPE200 | 882 | | | | | |
| 1 | p185 | UPE200 | 882 | S355JR | 20.1 | 20.1 | 0.61 | 0.61 |
| 3 | p321 | M16x45 | 45 | 10.9 | 0.2 | 0.6 | | |
| | | | | | <u>TOTAL</u> | 20.7 | | 0.61 |
| 1 | P62 | UPE200 | 928 | | | | | |
| 1 | p183 | UPE200 | 920 | S355JR | 21 | 21 | 0.64 | 0.64 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | <u>TOTAL</u> | 21.9 | | 0.68 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|--------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P63 | UPE200 | 2,101 | | | | | |
| 1 | p180 | UPE200 | 2,101 | S355JR | 47.9 | 47.9 | 1.46 | 1.46 |
| | | | | | <u>TOTAL</u> | 47.9 | | 1.46 |
| 1 | P64 | UPE200 | 928 | | | | | |
| 1 | p184 | UPE200 | 920 | S355JR | 21 | 21 | 0.64 | 0.64 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | <u>TOTAL</u> | 21.9 | | 0.68 |
| 1 | P65 | UPE200 | 2,183 | | | | | |
| 1 | p179 | UPE200 | 2,183 | S355JR | 49.8 | 49.8 | 1.52 | 1.52 |
| | | | | | <u>TOTAL</u> | 49.8 | | 1.52 |
| 1 | P66 | UPE200 | 934 | | | | | |
| 1 | p181 | UPE200 | 924 | S355JR | 21.1 | 21.1 | 0.64 | 0.64 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | <u>TOTAL</u> | 22 | | 0.69 |
| 1 | P67 | UPE200 | 3,387 | | | | | |
| 1 | p175 | UPE200 | 3,387 | S355JR | 77.2 | 77.2 | 2.35 | 2.35 |
| | | | | | <u>TOTAL</u> | 77.2 | | 2.35 |
| 1 | P68 | UPE200 | 934 | | | | | |
| 1 | p182 | UPE200 | 924 | S355JR | 21.1 | 21.1 | 0.64 | 0.64 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | <u>TOTAL</u> | 22 | | 0.69 |
| 1 | P69 | UPE200 | 8,648 | | | | | |
| 1 | p161 | UPE200 | 8,643 | S355JR | 197.1 | 197.1 | 6.01 | 6.01 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 197.8 | | 6.04 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|--------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P70 | UPE200 | 8,828 | | | | | |
| 1 | p160 | UPE200 | 8,821 | S355JR | 201.1 | 201.1 | 6.13 | 6.13 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 201.8 | | 6.16 |
| 1 | P71 | UPE200 | 10,516 | | | | | |
| 1 | p159 | UPE200 | 10,512 | S355JR | 239.7 | 239.7 | 7.31 | 7.31 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 240.4 | | 7.34 |
| 1 | P72 | UPE200 | 10,708 | | | | | |
| 1 | p158 | UPE200 | 10,704 | S355JR | 244.1 | 244.1 | 7.44 | 7.44 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 244.8 | | 7.47 |
| 1 | P73 | UPE200 | 10,897 | | | | | |
| 1 | p157 | UPE200 | 10,892 | S355JR | 248.3 | 248.3 | 7.57 | 7.57 |
| 1 | p221 | PL 6x75x200 | 200 | S355JR | 0.7 | 0.7 | 0.03 | 0.03 |
| | | | | | <u>TOTAL</u> | 249 | | 7.6 |
| 1 | P74 | UPE200 | 5,946 | | | | | |
| 1 | p165 | UPE200 | 5,942 | S355JR | 135.5 | 135.5 | 4.13 | 4.13 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | <u>TOTAL</u> | 136.4 | | 4.17 |
| 1 | P75 | UPE200 | 5,612 | | | | | |
| 1 | p170 | UPE200 | 5,609 | S355JR | 127.9 | 127.9 | 3.9 | 3.9 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | <u>TOTAL</u> | 128.8 | | 3.94 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|--------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | P76 | UPE200 | 6,272 | | | | | |
| 1 | p162 | UPE200 | 6,269 | S355JR | 142.9 | 142.9 | 4.36 | 4.36 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | TOTAL | 143.9 | | 4.4 |
| 1 | P77 | UPE200 | 2,372 | | | | | |
| 1 | p178 | UPE200 | 2,362 | S355JR | 53.9 | 53.9 | 1.64 | 1.64 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | TOTAL | 54.8 | | 1.69 |
| 1 | P78 | UPE200 | 2,681 | | | | | |
| 1 | p177 | UPE200 | 2,671 | S355JR | 60.9 | 60.9 | 1.86 | 1.86 |
| 1 | p225 | PL 6x100x200 | 200 | S355JR | 0.9 | 0.9 | 0.04 | 0.04 |
| | | | | | TOTAL | 61.9 | | 1.9 |

List produced by AUTODESK Advance Steel

Page

57

/

71

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S1 | -4975 | 5,276 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 8 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 9.6 | 0.04 | 0.35 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 36.7 | 0.18 | 0.54 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 5.3 | 0.07 | 0.15 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 8.8 | 0.1 | 0.2 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 9.2 | 0.1 | 0.2 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 12 | 0.2 | 0.4 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 1 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 20.6 | 1.35 | 1.35 |
| 1 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 0.6 | 0.02 | 0.02 |
| 2 | p249 | PL 8x90x100 | 100 | S355JR | 0.6 | 1.1 | 0.02 | 0.04 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 11.6 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 2 | p328 | M20x45 | 45 | 10.9 | 0.3 | 0.6 | | |
| TOTAL | | | | | 1,163.40 | | | 24.59 |

List produced by AUTODESK Advance Steel

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 2 | S1 | -4975 | 0 | 2 layer Coating | | | | |
| 1 | p9 | 4975 | 4,975 | S355JR | 772.1 | 1,544.20 | 16.11 | 32.23 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 10 | 0.17 | 0.34 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 181.9 | 0.08 | 5.1 |
| 8 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 19.3 | 0.04 | 0.69 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 73.5 | 0.18 | 1.08 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 32.5 | 0.23 | 0.47 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 10.6 | 0.07 | 0.3 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 17.7 | 0.1 | 0.39 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 18.4 | 0.1 | 0.41 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 24 | 0.2 | 0.8 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 27.1 | 0.36 | 0.72 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 8.3 | 0.09 | 0.18 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 9.5 | 0.11 | 0.21 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 15.1 | 0.14 | 0.29 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 17.5 | 0.17 | 0.33 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 223.5 | 1.21 | 2.43 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 11.8 | 0.2 | 0.4 |
| 1 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 41.2 | 1.35 | 2.69 |
| 1 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 1.2 | 0.02 | 0.04 |
| 2 | p249 | PL 8x90x100 | 100 | S355JR | 0.6 | 2.3 | 0.02 | 0.08 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 23.2 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 12.7 | | |
| 2 | p328 | M20x45 | 45 | 10.9 | 0.3 | 1.2 | | |
| 2 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.9 | | |
| TOTAL | | | | | 2,327.70 | | | 49.19 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S2 | -4975 | 5,280 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 2 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 24.5 | 0.18 | 0.36 |
| 2 | p206 | PL 10x170x175 | 175 | S355JR | 2.3 | 4.6 | 0.07 | 0.13 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 1 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 2.7 | 0.07 | 0.07 |
| 1 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 4.4 | 0.1 | 0.1 |
| 1 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 4.6 | 0.1 | 0.1 |
| 1 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 6 | 0.2 | 0.2 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 1 | p251 | PL 16x220x230 | 230 | S355JR | 6.4 | 6.4 | 0.12 | 0.12 |
| 1 | p268 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p269 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p277 | PL 8x184x234 | 234 | S355JR | 2.7 | 2.7 | 0.09 | 0.09 |
| 3 | p321 | M16x45 | 45 | 10.9 | 0.2 | 0.6 | | |
| 16 | p322 | M22x75 | 75 | 10.9 | 0.5 | 7.7 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 6 | p326 | M20x65 | 65 | 10.9 | 0.3 | 2.1 | | |
| 1 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.2 | | |
| TOTAL | | | | | 1,124.10 | | | 22.75 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S3 | -4975 | 5,280 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 2 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 24.5 | 0.18 | 0.36 |
| 2 | p206 | PL 10x170x175 | 175 | S355JR | 2.3 | 4.6 | 0.07 | 0.13 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 1 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 2.7 | 0.07 | 0.07 |
| 1 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 4.4 | 0.1 | 0.1 |
| 1 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 4.6 | 0.1 | 0.1 |
| 1 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 6 | 0.2 | 0.2 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 1 | p251 | PL 16x220x230 | 230 | S355JR | 6.4 | 6.4 | 0.12 | 0.12 |
| 1 | p268 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p269 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p277 | PL 8x184x234 | 234 | S355JR | 2.7 | 2.7 | 0.09 | 0.09 |
| 3 | p321 | M16x45 | 45 | 10.9 | 0.2 | 0.6 | | |
| 16 | p322 | M22x75 | 75 | 10.9 | 0.5 | 7.7 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 6 | p326 | M20x65 | 65 | 10.9 | 0.3 | 2.1 | | |
| 1 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.2 | | |
| TOTAL | | | | | 1,124.10 | | | 22.75 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S4 | -4975 | 5,276 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 36.7 | 0.18 | 0.54 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 5.3 | 0.07 | 0.15 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 8.8 | 0.1 | 0.2 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 9.2 | 0.1 | 0.2 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 12 | 0.2 | 0.4 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 11.6 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 2 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.5 | | |
| TOTAL | | | | | 1,131.30 | 62 | | 22.84 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S5 | -4975 | 5,276 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 36.7 | 0.18 | 0.54 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 5.3 | 0.07 | 0.15 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 8.8 | 0.1 | 0.2 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 9.2 | 0.1 | 0.2 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 12 | 0.2 | 0.4 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 11.6 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 2 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.5 | | |
| TOTAL | | | | | 1,131.30 | | | 22.84 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S6 | -4975 | 5,276 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 8 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 9.6 | 0.04 | 0.35 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 36.7 | 0.18 | 0.54 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 5.3 | 0.07 | 0.15 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 8.8 | 0.1 | 0.2 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 9.2 | 0.1 | 0.2 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 12 | 0.2 | 0.4 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 1 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 20.6 | 1.35 | 1.35 |
| 1 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 0.6 | 0.02 | 0.02 |
| 1 | p249 | PL 8x90x100 | 100 | S355JR | 0.6 | 0.6 | 0.02 | 0.02 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 11.6 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 1 | p328 | M20x45 | 45 | 10.9 | 0.3 | 0.3 | | |
| 2 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.5 | | |
| TOTAL | | | | | 1,163 | | | 24.57 |

List produced by AUTODESK Advance Steel

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S7 | -4975 | 5,276 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 8 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 9.6 | 0.04 | 0.35 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 36.7 | 0.18 | 0.54 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 5.3 | 0.07 | 0.15 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 8.8 | 0.1 | 0.2 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 9.2 | 0.1 | 0.2 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 12 | 0.2 | 0.4 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 1 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 20.6 | 1.35 | 1.35 |
| 1 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 0.6 | 0.02 | 0.02 |
| 1 | p249 | PL 8x90x100 | 100 | S355JR | 0.6 | 0.6 | 0.02 | 0.02 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 11.6 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 1 | p328 | M20x45 | 45 | 10.9 | 0.3 | 0.3 | | |
| 2 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.5 | | |
| TOTAL | | | | | 1,163 | | | 24.57 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | S8 | -4975 | 5,276 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 8 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 9.6 | 0.04 | 0.35 |
| 3 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 36.7 | 0.18 | 0.54 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 2 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 5.3 | 0.07 | 0.15 |
| 2 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 8.8 | 0.1 | 0.2 |
| 2 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 9.2 | 0.1 | 0.2 |
| 2 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 12 | 0.2 | 0.4 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 1 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 20.6 | 1.35 | 1.35 |
| 1 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 0.6 | 0.02 | 0.02 |
| 2 | p249 | PL 8x90x100 | 100 | S355JR | 0.6 | 1.1 | 0.02 | 0.04 |
| 24 | p322 | M22x75 | 75 | 10.9 | 0.5 | 11.6 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 2 | p328 | M20x45 | 45 | 10.9 | 0.3 | 0.6 | | |
| 2 | p329 | M16x75 | 75 | 10.9 | 0.2 | 0.5 | | |
| TOTAL | | | | | 1,163.90 | | | 24.59 |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 1 | S9 | -4975 | 5,280 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 16 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 19.3 | 0.04 | 0.69 |
| 2 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 24.5 | 0.18 | 0.36 |
| 2 | p206 | PL 10x170x175 | 175 | S355JR | 2.3 | 4.6 | 0.07 | 0.13 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 1 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 2.7 | 0.07 | 0.07 |
| 1 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 4.4 | 0.1 | 0.1 |
| 1 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 4.6 | 0.1 | 0.1 |
| 1 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 6 | 0.2 | 0.2 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 2 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 41.2 | 1.35 | 2.69 |
| 2 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 1.2 | 0.02 | 0.04 |
| 1 | p251 | PL 16x220x230 | 230 | S355JR | 6.4 | 6.4 | 0.12 | 0.12 |
| 1 | p268 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p269 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p277 | PL 8x184x234 | 234 | S355JR | 2.7 | 2.7 | 0.09 | 0.09 |
| 1 | p297 | PL 8x90x110 | 110 | S355JR | 0.6 | 0.6 | 0.02 | 0.02 |
| 1 | p298 | PL 8x95x110 | 110 | S355JR | 0.7 | 0.7 | 0.02 | 0.02 |
| 6 | p321 | M16x45 | 45 | 10.9 | 0.2 | 1.1 | | |
| 16 | p322 | M22x75 | 75 | 10.9 | 0.5 | 7.7 | | |

List produced by AUTODESK Advance Steel

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|--------------|------|-------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |
| 1 | p335 | M16x40 | 40 | 10.9 | 0.2 | 0.2 | | |
| TOTAL | | | | | | 1,185.50 | | 26.23 |

List produced by AUTODESK Advance Steel

Page

68

/

71

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m ²) | Total surface (m ²) |
|----------|------|---------------------|----------------|------------------|---------------------|----------------------|-----------------------------------|------------------------------------|
| 1 | S10 | -4975 | 5,280 | 2 layer Coating | | | | |
| 1 | p9 | -4975 | 4,975 | S355JR | 772.1 | 772.1 | 16.11 | 16.11 |
| 1 | p10 | HEA120 | 250 | S355JR | 5 | 5 | 0.17 | 0.17 |
| 32 | p191 | PL 10x204.7x209.4 | 209 | S355JR | 2.8 | 91 | 0.08 | 2.55 |
| 16 | p197 | PL 8x96x200 | 200 | S235J2 | 1.2 | 19.3 | 0.04 | 0.69 |
| 2 | p201 | PL 20x200x390 | 390 | S355JR | 12.2 | 24.5 | 0.18 | 0.36 |
| 2 | p206 | PL 10x170x175 | 175 | S355JR | 2.3 | 4.6 | 0.07 | 0.13 |
| 1 | p214 | PL 20x220x470 | 470 | S355JR | 16.2 | 16.2 | 0.23 | 0.23 |
| 1 | p216 | PL 10x200x224 | 224 | S355JR | 2.7 | 2.7 | 0.07 | 0.07 |
| 1 | p217 | PL 13x170x255 | 255 | S355JR | 4.4 | 4.4 | 0.1 | 0.1 |
| 1 | p218 | PL 13x170x265.83 | 266 | S355JR | 4.6 | 4.6 | 0.1 | 0.1 |
| 1 | p219 | PL 8x255x416.56 | 417 | S355JR | 6 | 6 | 0.2 | 0.2 |
| 1 | p228 | PL 10x368.01x560.11 | 560 | S355JR | 13.5 | 13.5 | 0.36 | 0.36 |
| 1 | p229 | PL 13x170x239.16 | 239 | S355JR | 4.1 | 4.1 | 0.09 | 0.09 |
| 1 | p230 | PL 13x170x275.04 | 275 | S355JR | 4.8 | 4.8 | 0.11 | 0.11 |
| 1 | p231 | PL 15x190x337.55 | 338 | S355JR | 7.6 | 7.6 | 0.14 | 0.14 |
| 1 | p232 | PL 15x190x391.9 | 392 | S355JR | 8.8 | 8.8 | 0.17 | 0.17 |
| 1 | p234 | PL 25x750x759.4 | 759 | S355JR | 111.8 | 111.8 | 1.21 | 1.21 |
| 1 | p239 | PL 8x263.69x415.86 | 416 | S355JR | 5.9 | 5.9 | 0.2 | 0.2 |
| 2 | p243 | PL 4x160x4100 | 4,100 | S235J2 | 20.6 | 41.2 | 1.35 | 2.69 |
| 2 | p247 | PL 8x96x100 | 100 | S235J2 | 0.6 | 1.2 | 0.02 | 0.04 |
| 1 | p251 | PL 16x220x230 | 230 | S355JR | 6.4 | 6.4 | 0.12 | 0.12 |
| 1 | p268 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p269 | PL 13x220x234 | 234 | S355JR | 5.3 | 5.3 | 0.11 | 0.11 |
| 1 | p277 | PL 8x184x234 | 234 | S355JR | 2.7 | 2.7 | 0.09 | 0.09 |
| 1 | p297 | PL 8x90x110 | 110 | S355JR | 0.6 | 0.6 | 0.02 | 0.02 |
| 1 | p298 | PL 8x95x110 | 110 | S355JR | 0.7 | 0.7 | 0.02 | 0.02 |
| 16 | p322 | M22x75 | 75 | 10.9 | 0.5 | 7.7 | | |
| 10 | p323 | M24x75 | 75 | 10.9 | 0.6 | 6.4 | | |

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|-------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | p336 | M16x40 | 40 | 10.9 | 0.2 | 0.2 | | 26.23 |
| | | | | | TOTAL | 1,184.30 | | |

| | | | | | | | | |
|----------|------------|------------------|--------------|--------|--------------|-------|------|-------|
| 1 | SV1 | HEA220 | 5,061 | | | | | |
| 1 | p71 | HEA220 | 5,103 | S235J2 | 257.7 | 257.7 | 6.43 | 6.43 |
| 1 | p72 | HEA220 | 5,071 | S235J2 | 256.1 | 256.1 | 6.39 | 6.39 |
| 1 | p282 | PL 15x272.43x280 | 280 | S355JR | 9 | 9 | 0.17 | 0.17 |
| 2 | p287 | PL 15x218x451.01 | 451 | S355JR | 11.6 | 23.2 | 0.22 | 0.43 |
| 2 | p291 | PL 8x100x123.55 | 124 | S355JR | 0.7 | 1.3 | 0.02 | 0.05 |
| 2 | p292 | PL 8x100x130.38 | 130 | S355JR | 0.7 | 1.3 | 0.02 | 0.05 |
| 8 | p327 | M20x60 | 60 | 10.9 | 0.3 | 2.7 | | 13.52 |
| | | | | | TOTAL | 551.3 | | |

| | | | | | | | | |
|----------|------------|------------------|--------------|--------|--------------|-------|------|-------|
| 1 | SV2 | HEA220 | 4,837 | | | | | |
| 1 | p73 | HEA220 | 4,899 | S235J2 | 247.4 | 247.4 | 6.17 | 6.17 |
| 1 | p75 | HEA220 | 4,889 | S235J2 | 246.9 | 246.9 | 6.16 | 6.16 |
| 2 | p293 | PL 8x100x130.66 | 131 | S355JR | 0.7 | 1.4 | 0.03 | 0.05 |
| 2 | p294 | PL 8x100x146.57 | 147 | S355JR | 0.7 | 1.4 | 0.03 | 0.05 |
| 1 | p301 | PL 15x218x455.65 | 456 | S355JR | 11.7 | 11.7 | 0.22 | 0.22 |
| 1 | p302 | PL 15x218x455.71 | 456 | S355JR | 11.7 | 11.7 | 0.22 | 0.22 |
| 1 | p303 | PL 15x273.32x280 | 280 | S355JR | 9 | 9 | 0.17 | 0.17 |
| 8 | p327 | M20x60 | 60 | 10.9 | 0.3 | 2.7 | | 13.04 |
| | | | | | TOTAL | 532.1 | | |

List produced by AUTODESK Advance Steel

Page

70

/

71

| Quantity | Mark | Description | Length (mm) | Coating Grade | Part weight (kg) | Total weight (kg) | Part surface (m²) | Total surface (m²) |
|----------|------|------------------|----------------|------------------|---------------------|----------------------|----------------------|-----------------------|
| 1 | SV3 | HEA220 | 4,833 | | | | | |
| 1 | p76 | HEA220 | 4,867 | S235J2 | 245.8 | 245.8 | 6.13 | 6.13 |
| 1 | p77 | HEA220 | 4,866 | S235J2 | 245.7 | 245.7 | 6.13 | 6.13 |
| 2 | p270 | PL 15x218x454.49 | 454 | S355JR | 11.7 | 23.3 | 0.22 | 0.44 |
| 2 | p274 | PL 8x100x129.1 | 129 | S355JR | 0.7 | 1.4 | 0.02 | 0.05 |
| 2 | p275 | PL 8x100x143.34 | 143 | S355JR | 0.7 | 1.4 | 0.03 | 0.05 |
| 1 | p282 | PL 15x272.43x280 | 280 | S355JR | 9 | 9 | 0.17 | 0.17 |
| 8 | p327 | M20x60 | 60 | 10.9 | 0.3 | 2.7 | | |
| | | | | | TOTAL | 529.2 | | 12.97 |

| | | | | | | | | |
|---|------|------------------|-------|--------|--------------|-------|------|-------|
| 1 | SV4 | HEA220 | 4,833 | | | | | |
| 1 | p74 | HEA220 | 4,897 | S235J2 | 247.3 | 247.3 | 6.17 | 6.17 |
| 1 | p78 | HEA220 | 4,836 | S235J2 | 244.2 | 244.2 | 6.09 | 6.09 |
| 2 | p270 | PL 15x218x454.49 | 454 | S355JR | 11.7 | 23.3 | 0.22 | 0.44 |
| 2 | p274 | PL 8x100x129.1 | 129 | S355JR | 0.7 | 1.4 | 0.02 | 0.05 |
| 2 | p275 | PL 8x100x143.34 | 143 | S355JR | 0.7 | 1.4 | 0.03 | 0.05 |
| 1 | p282 | PL 15x272.43x280 | 280 | S355JR | 9 | 9 | 0.17 | 0.17 |
| 8 | p327 | M20x60 | 60 | 10.9 | 0.3 | 2.7 | | |
| | | | | | TOTAL | 529.2 | | 12.97 |

| | |
|-------------------------|--------------|
| TOTAL QUANTITY | 495 |
| TOTAL WEIGHT | 51,251.50 kg |
| TOTAL PAINT AREA | 1,342.23 m² |